NUPLA®
SURFACE PROTECTING HAMMERS



FOR PLANT-WIDE STANDARDIZATION

Obsoletes lead, rawhide, plastic, rubber, copper, brass, micarta, etc. Spark Proof.

NUPLA® HOLDERS (Head and Handles)—For replaceable and interchangeable screw-in type tips. Available in two styles in every size and weight from a 5 oz. hammer to a 20 lb. sledge. Uses tips having same face diameter.

SUPERHOLDERS®—All that the name implies in design and dependability ...with NUPLAGLAS® handles (indestructible fiber glass handles with slip-proof sting-proof cushion grips), and non-strip threads.

STANDARD HOLDERS—equipped with the finest grade hickory handles. Does not include cushion grips and non-strip threads.

TO ORDER: A NUPLA ® hammer or sledge consists of three separate units ... the holder and two tips. Order holder and tips separately. Specify holder desired by "Holder Part Number." (See tip section for Tip selection).

NUPLA ® HOLDERS:

SUPERHOLDER®		SPECIFICATIONS INCLUDING TIPS			STANDARD HOLDER	
HOLDER PART NO.	LESS TIPS EACH	FACE DIA.	HEAD LENGTH	NOMINAL WEIGHT	HOLDER PART NO.	LESS TIPS EACH
S100	$ 2.90	1"	3-1/2"	6 oz.	100	$ 2.20
S105	3.20	1"	3-1/2"	9 oz.	105	2.50
S150	3.75	1-1/2"	4-3/8"	3/4 lb.	150	2.95
S153	4.85	1-1/2"	7"	1-1/4 lb.	153	4.05
S155	4.20	1-1/2"	4-3/8"	1-1/4 lb.	155	3.40
S158	5.30	1-1/2"	5-1/2"	2 lb.	158	4.50
S200	4.75	2"	5"	1-1/4 lb.	200	3.90
S205	5.15	2"	5"	2 lb.	205	4.30
S207	6.25	2"	6-3/8"	3-1/4 lb.	207	5.40
S208	7.45	2"	7"	4 lb.	208	6.60
S250	6.05	2-1/2"	6-1/4"	2-1/2 lb.	250	5.10
S255	6.80	2-1/2"	6-1/2"	4 lb.	255	5.85
S300	8.60	3"	7"	3-1/2 lb.	300	7.60
S305	12.25	3"	7"	6-1/2 lb.	305	11.25
NUPLA SLEDGES						
S307	xxx	3"	7-7/8"	8 lb.	307	$21.95
S308	xxx	3"	9"	10-1/4 lb	308	23.60

IMPAX ® HOLDERS with controlled "stay-put" dead-blow, produce 30% more driving power with specially designed shot-loaded head.

S152	$ 6.70	1-1/2"	5-3/8"	1 lb.	152	$ 6.25
S154	6.85	1-1/2"	6-1/2"	1-1/2 lb.	154	6.40
S202	9.30	2"	7"	2-1/2 lb.	202	8.80
S204	9.45	2"	9"	3-1/2 lb.	204	8.95
S304	30.95	3"	7-3/4"	5-1/2 lb.	304	29.95
IMPAX®SLEDGES						
S306	xxx	3"	9-3/4"	9 lb.	306	$40.50
S402	xxx	4"	9-1/2"	16 lb.	402	66.70
S404	xxx	4"	11-1/2"	20 lb.	404	79.50

xxx Information on request

NUPLAFLEX® (SCREW-IN TYPE) TIPS

Long lasting NUPLAFLEX replaceable and interchangeable by hand, available in eight color-coded hardnesses and five shapes. Hardnesses range from the softness of sponge rubber to the hardness of copper. Will not gash, mushroom, or lose shape. Will not mark or mar polished or painted surfaces.

TO ORDER: Specify part number of tip having same face diameter as holder, adding to tip part number the letter indicating hardness desired (i. e., Hard Tip for #152 Holder 15H). If shaped tips are desired, add letter indicating tip shape (i. e., Dome 15 HD).

Respective Hardnesses by hardness, ordering letter, and color.

SS—Super Soft, Gray
S—Soft, Brown
M—Medium, Red
T—Tough, Green
N—Medium Hard (Nylon) Cream
BH—Near Hard, Orange
H—Hard, Black
XH—Extra Hard, Yellow

HARDNESS — STANDARD ROUND SHAPE TIP

TIP PART NO.	S, M, OR T EACH	SS, N, H, BH, OR XH EACH	FOR HOLDER NUMBERS	FACE DIAMETER
10	$ 1.10	$ 1.40	100, 105	1"
15	1.65	2.65	150, 152, 153, 154, 155, 158	1-1/2"
20	2.50	4.25	200, 202, 204, 205, 207, 208	2"
25	4.35	6.95	250, 255	2-1/2"
30	6.70	12.80	300, 304, 305, 306, 307, 308	3"
40	12.50	17.90	402, 404	4"
			D — DOME SHAPE TIPS	
15		2.65	150, 152, 153, 154, 155, 158	1-1/2"
20		4.25	200, 202, 204, 205, 207, 208	2"
			C — WEDGE (CROSS-PEEN) SHAPE TIP	
15		2.65	150, 152, 153, 154, 155, 158	1-1/2"
20		4.25	200, 202, 204, 205, 207, 208	2"
			K — CONICAL SHAPE TIP	
15		2.65	150, 152, 153, 154, 155, 158	1-1/2"
20		4.25	200, 202, 204, 205, 207, 208	2"
			Q — SQUARE SHAPE TIP	
15		4.60	150, 152, 153, 154, 155, 158	1-1/2"
20		7.65	200, 202, 204, 205, 207, 208	2"

SURFACE PROTECTING
NUPLA MALLETS

..Solid NUPLAFLEX longer lasting and more durable than any other soft face material. For applications requiring light wt. and large face diameter.

DESCRIPTION

Size	Face Dia.	Head Length	Weight Approx.
2	1½"	3¼"	6 oz.
3	1¾"	3¼"	8 oz.
4	2"	3½"	12 oz.
5	2⅝"	4¼"	20 oz.

PART NUMBER & PRICE

Three Nuplaflex Hardnesses Available

MEDIUM		TOUGH		HARD	
Part No.	Price Each	Part No.	Price Each	Part No.	Price Each
2M	4.25	2T	4.25	2H	5.80
3M	5.20	3T	5.20	3H	6.75
4M	6.15	4T	6.15	4H	8.50
5M	10.40	5T	10.40	5H	13.10

Ordering Information: Example: To order a 1¾" face dia. "Tough" grade (hardness) mallet. Specify: 3T Nupla Mallet

NUPLAMATIC ADAPTERS

Converts rivet guns into automatic surface protecting hammers, with replaceable NUPLAFLEX tips. Metal forming, and straightening, etc.

PART NO.	PRICE EACH	FACE DIA.	SHANK DIA.
15-401	13.90	1½"	.401
15-498	13,90	1½"	.498
20-401	15.40	2"	.401
20-498	15.40	2"	.498

TO ORDER: A NUPLAMATIC consists of two units, the tip holding Adapter and the tip. Order each separately. The Adapter part number and price above does not include the tip. See "NUPLA HAMMER TIPS" for tip information.

NUPLA DRIVE PUNCHES



A completely new tool for **driving** press fits, bearing, bushings and other hard to reach or tight fitting objects to be protected from marring. Replaceable tips of long lasting NUPLAFLEX available in "Tough" and "Hard" grades.

HOLDER REFERENCE PART NO.			TIP REFERENCE			
			TOUGH		HARD	
(Face Dia.)	(Length)	Price Each	Part No.	Price	Part No.	Price
¾"	x 6"	4.30	07T	.75	07H	1.10
⅞"	x 6½"	4.95	08T	.90	08H	1.20
1"	x 7"	5.65	10T	1.10	10H	1.40
1¼"	x 8"	7.90	12T	1.40	12H	2.30
1½"	x 9"	10.75	15T	1.65	15H	2.65

Ordering Information: Order Holder and Tip separately. Example: To order ¾" face dia. x 6⅝" length drive punch (Holder) Specify: ¾" x 6⅝" Drive Punch Holder. Note: (Holder price does not include tip). Order tip desired by specifying tip Part No.

PRICE LIST

NO. NP-36 EFFECTIVE 6-1-58



SURFACE PROTECTIVE HAMMERS

- SLEDGES
- MALLETS
- PUNCHES
- ADAPTERS

PRICING: Applies to CATALOG NO. 31. Prices subject to change without notice. Right is reserved to invoice any order through a NUPLA Authorized Distributor.

NUPLA HOLDERS

Superholder NUPLAGLAS Shaft

Nuplaflex Grip, Nonstrip Threads. Handle guaranteed not to break for life of tool. Costs less than wood handled model with 1 spare handle.

Par No.	List Price Each	Description
S-100	2.90	SUPERHOLDER, 1" Dia.
S-105	3.20	SUPERHOLDER, 1" Dia.
S-150	3.75	SUPERHOLDER, 1½" Dia.
S-152	6.70	SUPER-IMPAX, 1½" Dia.
S-153	4.85	SUPERHOLDER, 1½" Dia.
S-154	6.85	SUPER-IMPAX, 1½" Dia.
S-155	4.20	SUPERHOLDER, 1½" Dia.
S-158	5.30	SUPERHOLDER, 1½" Dia.
S-200	4.75	SUPERHOLDER, 2" Dia.
S-202	9.30	SUPER-IMPAX, 2" Dia.
S-204	9.45	SUPER-IMPAX, 2" Dia.
S-205	5.15	SUPERHOLDER, 2" Dia.
S-207	6.25	SUPERHOLDER, 2" Dia.
S-208	7.45	SUPERHOLDER, 2" Dia.
S-250	6.05	SUPERHOLDER, 2½" Dia.
S-255	6.80	SUPERHOLDER, 2½" Dia.
S-300	8.60	SUPERHOLDER, 3" Dia.
S-304	30.95	SUPER-IMPAX, 3" Dia.
S-305	12.25	SUPERHOLDER, 3" Dia.
S-306	***	SUPER-IMPAX, Sledge, 3" Dia.
S-307	***	SUPER-IMPAX, Sledge, 3" Dia.
S-308	***	SUPER-IMPAX, Sledge, 3" Dia.
S-402	***	SUPERHOLDER Impax Sledge, 4" Dia.
S-404	***	SUPERHOLDER Impax Sledge, 4" D.
	***	INFORMATION ON REQUEST

STANDARD HOLDERS—

Standard hickory handle, regular threads.

Part No.	List Price Each	Description
100	2.20	NUPLA Holder, 1" Dia.
105	2.50	NUPLA Holder, 1" Dia.
150	2.95	NUPLA Holder, 1½" Dia.
152	6.25	IMPAX Holder, 1½" Dia.
153	4.05	NUPLA Holder, 1½" Dia.
154	6.40	IMPAX Holder, 1½" Dia.
155	3.40	NUPLA Holder, 1½" Dia.
158	4.50	NUPLA Holder, 1½" Dia.
200	3.90	NUPLA Holder, 2" Dia.
202	8.80	IMPAX Holder, 2" Dia.
204	8.95	IMPAX Holder, 2" Dia.
205	4.30	NUPLA Holder, 2" Dia.
207	5.40	NUPLA Holder, 2" Dia.
208	6.60	NUPLA Holder, 2" Dia.
250	5.10	NUPLA Holder, 2½" Dia.
255	5.85	NUPLA Holder, 2½" Dia.
300	7.60	NUPLA Holder, 3" Dia.
304	29.95	IMPAX Holder, 3" Dia.
305	11.25	NUPLA Holder, 3" Dia.
306	40.50	IMPAX Sledge, 3" Dia.
307	21.95	NUPLA Holder, Sledge, 3" Dia.
308	23.60	NUPLA Holder, Sledge, 3" Dia.
402	66.70	IMPAX Sledge, 4" Dia.
404	79.50	IMPAX Sledge, 4" Dia.

NUPLA MANUFACTURING CO.
1026 No. SYCAMORE
LOS ANGELES 38, CALIF.
Division of
NEW PLASTIC CORP.

DISTRIBUTED BY —

"The Hammer Line That Obsoletes All Others Combined!"

Nupla Tools Price List

NUPLAFLEX TIPS— Eight hardnesses.

Five Shapes. Six diameters. Fit holders of same diameter.

Part No.	List Price Each	Description
10SS	1.40	NUPLA Super-Soft, 1" Dia.
10S	1.10	NUPLA Soft, 1" Dia.
10M	1.10	NUPLA Medium, 1" Dia.
10T	1.10	NUPLA Tough, 1" Dia.
10N	1.40	NUPLA Medium-Hard, 1" Dia.
10BH	1.40	NUPLA Near Hard, 1" Dia.
10H	1.40	NUPLA Hard, 1" Dia.
10XH	1.40	NUPLA Extra Hard, 1" Dia.
15SS	2.65	NUPLA Super-Soft, 1½" Dia.
15S	1.65	NUPLA Soft, 1½" Dia.
15M	1.65	NUPLA Medium, 1½" Dia.
15T	1.65	NUPLA Tough, 1½" Dia.
15N	2.65	NUPLA Medium-Hard, 1½" Dia.
15ND	2.65	NUPLA Med.-Hard, Dome, 1½" Dia.
15NC	2.65	NUPLA Med.-Hard, Wedge, 1½" Dia.
15NK	2.65	NUPLA Med.-Hard, Conical, 1½" Dia.
15NQ	4.60	NUPLA Med.-Hard, Square, 1½" Dia.
15BH	2.65	NUPLA Near-Hard, 1½" Dia.
15BHD	2.65	NUPLA Near-Hard, Dome, 1½" Dia.
15BHC	2.65	NUPLA Near-Hard, Wedge, 1½" Dia.
15BHK	2.65	NUPLA Near-Hard, Conical, 1½" Dia.
15BHQ	4.60	NUPLA Near-Hard, Square, 1½" Dia.
15H	2.65	NUPLA Hard, 1½" Dia.
15HD	2.65	NUPLA Hard, Dome, 1½" Dia.
15HC	2.65	NUPLA Hard, Wedge, 1½" Dia.
15HK	2.65	NUPLA Hard, Conical, 1½" Dia.
15HQ	4.60	NUPLA Hard, Square, 1½" Dia.
15XH	2.65	NUPLA Extra Hard, 1½" Dia.
15XHD	2.65	NUPLA Extra Hard, Dome, 1½" Dia.
15XHC	2.65	NUPLA Extra Hard, Wedge, 1½" Dia.
15XHK	2.65	NUPLA Extra Hard, Conical, 1½" Dia.
15XHQ	4.60	NUPLA Extra Hard, Square, 1½" Dia.
20SS	4.25	NUPLA Super-Soft, 2" Dia.
20S	2.50	NUPLA Soft, 2" Dia.
20M	2.50	NUPLA Medium, 2" Dia.
20T	2.50	NUPLA Tough, 2" Dia.
20N	4.25	NUPLA Medium Hard, 2" Dia.
20ND	4.25	NUPLA Med.-Hard, Dome, 2" Dia.
20NC	4.25	NUPLA Med.-Hard, Wedge, 2" Dia.
20NK	4.25	NUPLA Med.-Hard, Conical, 2" Dia.
20NQ	7.65	NUPLA Med.-Hard, Square, 2" Dia.
20BH	4.25	NUPLA Near Hard, 2" Dia.
20BHD	4.25	NUPLA Near Hard, Dome, 2" Dia.
20BHC	4.25	NUPLA Near Hard, Wedge, 2" Dia.
20BHK	4.25	NUPLA Near Hard, Conical, 2" Dia.
20BHQ	7.65	NUPLA Near Hard, Square, 2" Dia.
20H	4.25	NUPLA Hard, 2" Dia.
20HD	4.25	NUPLA Hard, Dome, 2" Dia.
20HC	4.25	NUPLA Hard, Wedge, 2" Dia.
20HK	4.25	NUPLA Hard, Conical, 2" Dia.
20HQ	7.65	NUPLA Hard, Square, 2" Dia.
20XH	4.25	NUPLA Extra Hard, 2" Dia.
20XHD	4.25	NUPLA Extra Hard, Dome, 2" Dia.
20XHC	4.25	NUPLA Extra Hard, Wedge, 2" Dia.
20XHK	4.25	NUPLA Extra Hard, Conical, 2" Dia.
20XHQ	7.65	NUPLA Extra Hard, Square, 2" Dia.
25SS	6.95	NUPLA Super-Soft, 2½" Dia.
25S	4.35	NUPLA Soft, 2½" Dia.
25M	4.35	NUPLA Medium, 2½" Dia.
25T	4.35	NUPLA Tough, 2½" Dia.
25N	6.95	NUPLA Medium Hard, 2½" Dia.
25BH	6.95	NUPLA Near Hard, 2½" Dia.
25H	6.95	NUPLA Hard, 2½" Dia.
25XH	6.95	NUPLA Extra Hard, 2½" Dia.
30SS	12.80	NUPLA Super-Soft, 3" Dia.
30S	6.70	NUPLA Soft, 3" Dia.
30M	6.70	NUPLA Medium, 3" Dia.
30T	6.70	NUPLA Tough, 3" Dia.
30N	12.80	NUPLA, Medium Hard, 3" Dia.
30BH	12.80	NUPLA Near Hard, 3" Dia.
30H	12.80	NUPLA Hard, 3" Dia.
30XH	12.80	NUPLA Extra Hard, 3" Dia.
40SS	17.90	NUPLA Super-Soft, 4" Dia.
40S	12.50	NUPLA Soft, 4" Dia.
40M	12.50	NUPLA Medium, 4" Dia.
40T	12.50	NUPLA Tough, 4" Dia.
40N	17.90	NUPLA Medium Hard, 4" Dia.
40BH	17.90	NUPLA Near Hard, 4" Dia.
40H	17.90	NUPLA Hard, 4" Dia.
40XH	17.90	NUPLA Extra Hard, 4" Dia.

NUPLAMATIC ADAPTERS—

(Use Tips having same dia.)

15-401	13.90	NUPLAMATIC .401x1½" Dia.
15-498	13.90	NUPLAMATIC .498x1½" Dia.
20-401	15.40	NUPLAMATIC .401x2" Dia.
20-408	15.40	NUPLAMATIC .498x2" Dia.

NUPLA DRIVE PUNCH—

(Without Tips. Select Tip of same dia.)

3/4	4.30	NUPLA DRIVE PUNCH 3/4" Dia.
7/8	4.95	NUPLA DRIVE PUNCH 7/8" Dia.
1	5.65	NUPLA DRIVE PUNCH, 1" Dia.
1 1/4	7.90	NUPLA DRIVE PUNCH, 1¼" Dia.
1 1/2	10.75	NUPLA DRIVE PUNCH, 1½" Dia.

(TIPS FOR NUPLA DRIVE PUNCH)

07T	.75	NUPLA Tip, Tough, 3/4" Dia.
07H	1.10	NUPLA Tip, Hard, 3/4" Dia.
08T	.90	NUPLA Tip, Tough, 7/8" Dia.
08H	1.20	NUPLA Tip, Hard, 7/8" Dia.
10T	1.10	NUPLA Tip, Tough, 1" Dia.
10H	1.40	NUPLA Tip, Hard, 1" Dia.
12T	1.40	NUPLA Tip, Tough, 1¼" Dia.
12H	2.30	NUPLA Tip, Hard, 1¼" Dia.
15T	1.65	NUPLA Tip, Tough, 1½" Dia.
15H	2.65	NUPLA Tip, Hard, 1½" Dia.

NUPLA DRIVE PUNCH KIT—

All 5 sizes of Drive Punch Holders. 1 each Tough, and 1 each Hard Tip for each Punch, complete with Case. (Not shown in catalog).

DPKIT	54.00	NUPLA Drive Punch Kit

NUPLA MALLETS — Hickory Handles.

Medium, Tough or Hard NUPLAFLEX.

2M	4.25	NUPLA Mallet, Medium
2T	4.25	NUPLA Mallet, Tough
2H	5.80	NUPLA Mallet, Hard
3M	5.20	NUPLA Mallet, Medium
3T	5.20	NUPLA Mallet, Tough
3H	6.75	NUPLA Mallet, Hard
4M	6.15	NUPLA Mallet, Medium
4T	6.15	NUPLA Mallet, Tough
4H	8.50	NUPLA Mallet, Hard
5M	10.40	NUPLA Mallet, Medium
5T	10.40	NUPLA Mallet, Tough
5H	13.10	NUPLA Mallet, Hard